



**GLASS INTERIORS**  
INNOVATIVE GLAZING SYSTEMS

DG70 SPECIFICATION 2021 / 2022

# DG70


DOUBLE GLAZED | 45dB

**DG68**  
HEAD CHANNEL /  
WALL ABUTMENT



**DG68**  
BASE CHANNEL

**DGF**  
DG FRAME  
SINGLE LEAF DOOR



## Overview

Fully demountable and re-locatable glass partitioning system that re-uses glass and framing components. Double glazed partitioning system in standard format gives 45db rating which can be further enhanced using thicker glass in difference combinations, also the use of acoustic laminated glass ranging from 10mm to 13.5mm can be accepted into the glazing pockets.

## System Specification

Head Channel	DG1 - 25 x 68
Deflection Head Channel	DG2 - 35 x 68
Base Channel	DG3 - 25 x 68
Wall Abutment	DG1 - 25 x 68
Base Clip in	SGC - 25
Gasket	Acoustic (Clear / Black)
Toughened Glass	10mm / 12mm
Acoustic Glass	10.8mm / 12.8mm
Toughened / Laminated Glass	13.5mm
Joint Type	Clear I joint - 5.5
Finish	PPC / Anodised

Acoustic Rating	up to 45dB (Rw)
Fire Rating	N/A
Line Load	up to 0.74kN p/m



GLASS INTERIORS  
[www.glass-interiors.co.uk](http://www.glass-interiors.co.uk)

0203 7935455  
5B West Horndon Ind Park, Essex, CM13 3XL

BASE DETAIL

HEAD DETAIL

DOOR FRAME DETAIL

DG70

DOUBLE GLAZED | IMAGES



GLASS INTERIORS  
[www.glass-interiors.co.uk](http://www.glass-interiors.co.uk)

0203 7935455  
5B West Horndon Ind Park, Essex, CM13 3XL