



GLASS INTERIORS

INNOVATIVE GLAZING SYSTEMS

SG25LOFT SPECIFICATION 2021 / 2022

SG25LOFT

SINGLE GLAZED | 38dB

Overview

LOFT offers a modern industrial effect to our glass partition range of products. Each installation is bespoke and precision fabricated using slim profile aluminium sections. Clients can choose from a wide range of colours and finishes. We can integrate pivot or sliding glass door options using our innovative halo frame section. A versatile system suitable for residential and commercial environments.

System Specification

Head Channel	SG1 - 25 x 25
Deflection Head Channel	SG2 - 35 x 25
Base Channel	SG3 - 23 x 25
Wall Abutment	SG1 - 25 x 25
Base Clip in	SGC - 25
Gasket	Acoustic (Clear / Black)
Toughened Glass	10mm / 12mm
Acoustic Glass	10.8mm / 12.8mm
Toughened / Laminated Glass	13.5mm
Joint Type	Clear I joint
Finish	PPC / Anodised

Acoustic Rating	up to 38dB (Rw)
Fire Rating	N/A
Line Load	up to 0.74kN p/m



BASE DETAIL

HEAD DETAIL

CROSS SECTION

SG25LOFT

SINGLE GLAZED | IMAGES

